

INDEX MAPS.

T. 29N, R. 9E. 2nd Mer.

	6	6	6	5	5	5						
8	6	31	5	25	4	21	3	17	2	16	1	4
	31		30		25		21		16-17		16	
8	7	30	8	24	9	20	10	15	11	12	12	4
	30		29		24		20		15		11	
8	18	29	17	24	16	20	15	15	14	11	13	4
	28		29		23		19		14		11	
7	19	28	20	23	21	19	22	14	23	10	24	3
	28		27		22		19		13		10	
7	30	27	29	22	28	18	27	13	26	10	25	3
	26		26		22		18		12		9	
7	31	26	32	21	33	17	34	12	35	9	36	3
	2		2		2		1		1		1	

T. 30N, R. 9E. 2nd Mer.

	40	40	39	39	39	38						
43	6	66	5	60	4	56	3	53	2	48	1	38
	66	65		60		56		52		47		
43	7	65	8	60	9	56	10	52	11	47	12	38
	64	64		59		55		52		46		
42	18	64	17	59	16	55	15	51	14	46	13	37
	64	63		59		55		51		46		
42	19	63	20	58	21	54	22	50	23	45	24	37
	63	62		58		54		50		45		
42	30	62	29	58	28	54	27	49	26	44	25	37
	62	61		57		54		49		44		
41	31	61	32	57	33	53	34	48	35	44	36	36
	36	36		35		35		35		35		

Meanders 66

(P) The figures on the lines refer to the page.

35

Township No 30 North of Range No 9 East 2nd Mer Indiana

South Boundary

- West On South Boundary of Sec 35.
 25 95 A Beech 13 in. diam.
 40. 00 Set a q. Sec. post from which
 a Beech 4 in. diam. bears N 9 W 13 links dist. &
 a Do 5 " " " N 84 E 42 " "
 47. 04 A Beech 22 in. diam.
 50. 00 Set a Post cor. to Sec. 35 & 36 from which
 a Burr Oak 10 in. diam. bears N 21 W 20 links dist. &
 a Lynn 5 " " " N 16 E 25 " "
 Land not described.

- West On South Boundary of Sec 35
 14. 10 A B. Walnut, 14 in. diam.
 40. 00 Set a q. Sec. post from which
 a Beech 15 in. diam. bears N 63 E 27 links dist. &
 a Do 12 " " " N 85 W 28 " "
 58. 45 A Beech 15 " "
 50. 00 Set a Post cor. to Sec. 34 & 35 from which
 an Ironwood 5 in. diam. bears N 56 E 12 links dist. &
 a Burr Oak 13 " " " N 72 W 36 " "
 Land not described

- West On South Boundary of Sec 34
 18. 03 An Elm 20 in. diam.
 40. 00 Set a q. Sec. post from which
 a Maple 3 in. diam. bears N 67 W 13 links dist. &
 a B. Ash 7 " " " N 44 E 36 " "
 53. 17 A Poplar 26 " "
 50. 00 Set a Post cor. to Sec. 33 & 34 from which
 a Beech 12 in. diam. bears N 57 E 18 links dist. &
 a Do 18 " " " N 79 W 11 " "
 Land not described.

- West On South Boundary of Sec 33
 13. 25 A Sugar 16 in. diam.

T 30. N. R. 9. E. 2nd Mer. Indiana.

- 40.00 Set a q. Sec post from which
 a B. Ash 6 in. diam. bears N 72 W 15 links dist &
 a Sugar 14 " " " N 64 E 25 " "
53. 31 A Sugar 15 " "
62. 10 A Brook 15 links wide. Course S E.
- 80.00 Set a Post cor. to Secs. 32 & 33 from which
 a Hickory 10 in. diam. bears N 71 W 31 links dist &
 a Sugar 10 " " " N 15 E 28 " "
 Land &c not described.

- West On South Boundary of Sec 32
14. 64 A B. Ash 20 in. diam.
- 40.00 Set a Post for q. Sec from which
 a Beech 22 in. diam. bears West 5 links dist &
 a Sugar 7 " " " N 26 E 7 " "
52. 83 A Beech 10 in. diam.
- 80.00 Set a Post cor. to Secs. 31 & 32 from which
 a B. Ash 13 in. diam. bears N 43 W 28 links dist &
 a Co 26 " " " N 23 E 11 " "

- West On South Boundary of Sec 31
13. 06 An S. Ash 14 in. diam.
- 40.00 Set a q. Sec post from which
 an Elm 12 in. diam. bears N 66 W 16 links dist &
 a S. Ash 10 " " " N 77 E 17 " "
53. 20 A Sugar 14 " "
- 77.00 Intersect the Range line 7 links North of the Post
 Set a Post cor. to Towns 29 & 30 R. 8. & 9 E. also
 to Secs. 1. 6. 31 & 36 from which
 a Beech 12 in. diam. bears N 42 W 25 links dist &
 a Spruce 13 " " " N 54 E 19 " "
 Land not described Nov. 18th

East Boundary

- North On East Boundary of Sec 36
27. 61 A Beech 20 in. diam.

37

T 30 N. R 9 E. 3rd Mer. Indiana

40.00 Set a q. Sec post from which
a Sugar 5 in. diam. bears S 3 W 4 7 links dist &
a Beech 15 " " " N. 46 W. 27 " "

60. 74 A S. Ash 17 " "

80.00 Set a Post cor. to Sec. 25. 26. from which
a Sugar 13 in. diam. bears S 18 W. 53 links dist &
a H. Oak 24 " " " N 82 W 38 " "

Land not described

North On East Boundary of Sec 25.

30. 47 A Blue Ash 45 in. diam.

40.00 Set a q. Sec post from which
an Elm 4 in. diam. bears S 19 W. 14 links dist &
a Co 3 " " " N. 27 W. 8 " "

65 79 A Beech 18 in. diam.

80.00 Set a Post cor. to Sec. 24 & 25 from which
a Buckeye 16 in. diam. bears S 37 W. 3 links dist &
a Beech 14 " " " N 39 W. 29 " "

Land not described.

North On East Boundary of Sec 24.

26. 95 A W. Oak 54 in. diam.

40.00 Set a q. Sec post from which
a W. Oak 21 in. diam. bears S 34 W 8 links dist &
a Cogwood 5 " " " N 27 W 30 " "

62 10 A W. Oak 40 " "

80.00 Set a Post cor. to Sec. 13 & 24 from which
a Beech 6 in. diam. bears S 12 W. 38 links dist &
a Buckeye 5 " " " N. 56 W. 2 " "

Land not described

North On East Boundary of Sec 13

28. 33 A W. Ash 20 in. diam.

40.00 Set a q. Sec post from which
a Beech 7 in. diam. bears S 38 W. 13 links dist &
a Co 8 " " " N 27 W 38 " "

T 30 N. R 9 E. 2nd Men. Indiana.

65. 83 A Blue Ash 17 in. diam.
 80. 00 Set a Post cor. to Sec. 12 & 13 from which
 a Buckeye 6 in. diam. bears S 4 W 23 lks. dist. &
 a " 10 " " " N 30 W 33 " "
 Land not described

North On East Boundary of the 12
 20. 91 A Beech 30 in. diam.
 40. 00 Set a g. Sec. post from which
 a B. Ash 10 in. diam. bears S 65 W 33 links dist. &
 an Elm 8 " " " N 70 W 20 " "
 54. 74 A B Walnut 17 in. diam.
 60. 00 Set a Post cor. to Sec. 1 & 2 from which
 a W. Oak 17 in. diam. bears S 8 W 33 links dist. &
 an Elm 14 " " " N 52 W 39 " "
 Land &c not described.

North On East Boundary of the 1
 1. 00 To Miller Swamp
 25. 50 Left same
 30. 50 A Poplar 17 in. diam.
 40. 00 Set a g. Sec. post from which
 a Hickory 6 in. diam. bears S 34 W 3 links dist. &
 a B. Ash 14 " " " N 10 W 30 " "
 59. 45 An Ironwood 7 in. diam.
 75. 00 Swamp
 80. 00 Set a stump of Sec. post cor. to Towns 30 & 31
 R 9 E 10 in Swamp
 Land level 2nd rate. Timber Beech. B. Ash
 & Oak. Undergth. Spice Dogwood & Ironwood.
 Nov. 18th 182-

North Boundary var 6° 25' E.
 West On South Boundary of Sec. 36 T 31 N R 9 E.
 15. 73 An Elm 13 in. diam.
 35. 10 A B Ash 14 " "

39

T 30 N. R 9 E 2nd Mer. Indiana

- 40.00 Set a g. Sec post from which
an Elm 12 in. diam. bears N 83 E 45 links dist. &
a Sugar 14 " " " N 25 W 27 " "
- 55.44 A Beech 14 " "
- 57.00 Enter 1 Prairie
- 80.00 Left Prairie. Set a Post cor. to Sec. 35 & 36 from which
an Elm 24 in. diam. bears North 50 links dist. &
a Co 10 " " " N. 18 W. 25 " "
Land level 2nd rate Wet & swampy, Timber
Ash. Beech & Elm. Underg. Ironwood &
B. Hawn.

- Note On South Boundary of Sec. 35. T 31 N. R 9 E.
- 28.45 A Beech 20 in. diam.
- 40.00 Set a g. Sec post from which
a Maple 8 in. diam. bears N. 78 E. 44 links dist. &
a Willow 13 " " " N. 81 W. 40 " "
- 64.65 A Buckeye 12 in. diam.
- 80.00 Set a Post cor. to Sec. 34 & 35 from which
an H. Oak 44 in. diam. bears N. 26 E. 15 links dist. &
a Hickory 12 " " " N. 71 W. 54 " "
Land level 2nd rate. Timber. Oak. Beech
Ash & Hickory. Underg. Ironwood & B. Hawn.

- Note On South Boundary of Sec. 34 T 31 N. R 9 E.
- 17.00 Down Stream. Note
- 40.00 In the Creek & the water being so high that
no post could be set. nor bearing trees taken
- 67.43 An Elm 48 in. diam.
- 80.00 Set a Post cor. to Sec. 33 & 34 from which
a Sycamore 30 in. diam. bears N 60 E 53 links dist. &
an Elm 5 " " " N 32 W 18 " "
Land not described

- Note On South Boundary of Sec. 33. T 31 N. R 9 E.
- 2.00 A Stream 50 links wide. Course S W.

T 30 N. R 9 E 2nd Mer. Indiana.

14. 70 A W. Oak 24 in. diam.
 40. 00 Set a g. Sec post from which
 a Buck 8 in. diam. bears N 67 E 37 links dist &
 a Do 12 " " " N 70 W 9 " "
 51. 06 A Buck 12 in. diam.
 72. 84 A Sugar 21 " "
 80. 00 Set a Post cor. to Sec. 32 & 33 from which
 a Buckeye 11 in. diam. bears N. 49 E. 11 links dist &
 an Iron rod 8 " " " N. 84 W. 47 " "
 Land level & 1st rate. Timber Ash. B Walnut.
 Cherry, & Buckeye. Underg^d. Buckeye & Spice.

- West On South Boundary of the 33 T 31 N R 9 E
 16. 58 A Buckeye 12 in. diam.
 33. 80 A Buckeye 20 " "
 40. 00 Set a g. Sec post from which
 a Cherry 24 in. diam. bears N 86 E 4 links dist &
 a Buckeye 10 " " " N 37 W 10 " "
 56. 37 A Buck 30 " "
 66. 00 Set a Post on the South Bank of Eel River.
 from which a
 Lynn 21 in. diam. bears N 67 E 9 links dist &
 a Buckeye 13 in. " " N. 51 W 6 " "
 Land & Timber same as last mile
 Apr. 20th 1828 Surveyed by
 Benj. J. Blythe C. S.
 Begun at Post standing on the Left Bank of
 Eel River. which is 26 chains from g. the Corner
 on the South Boundary of Sec 32. T. 31 N R 9 E.
 80 00 Cor. to Sec. 31 & 32 in Eel River var 6th 45th E.

- West On South Boundary of the 31 T 31 N R 9 E.
 3. 00 Left the River & set a Post on the Right Bank
 from which a
 Red Oak 14 in. diam. bears S. 37 W 16 links dist &
 a B. Oak 11 " " " N. 48 W 22 " "

T 30 N R 9 E 2nd Mer. Indiana

41

- 10 49 A W Oak 18 in. diam.
28. 00 Near El River
40. 00 Set a q. Sec. post from which
a W Oak 30 in. diam. bears N 80° E 62 links dist. &
a Spruce 7 " " " N 49° W 30 " "
42. 43 Set a Post on the Right Bank of El River. Co. N.W.
from which
a Buckeye 7 in. diam. bears N. 41° E 13 1/2 links dist. &
a Do 6 " " " " S 42° E 8 " "
44. 00 To Left Bank of the River
52. 75 Left Bank of River. Course S.W.
53. 00 Set a Post on the Right Bank of River. from which
a Buckeye 10 in. diam. bears S 42° E 7 links dist. &
a Do 8 " " " " S 36° W 16 " "
57. 02 To Maple 8 " " " on the Right Bank of the
River. Course S.W.
58. 00 Left Bank of River
68. 40 Left " " " Course South
69. 50 Set a Post on the Right Bank of the River. from
which a Buckeye 10 in. diam. bears N. 49° W. 75 links dist. &
an Ash 6 " " " " S 71° W 65 " "
77. 00 Set a Post on the Right Bank of the River Co.
N.W. from which
a Maple 9 in. diam. bears S 27° E 6 links dist. &
an Ash 4 " " " " S. 2° E. 11 " "
78. 10 Left Bank of the River
79. 97 Intersect the Range line 5 ch. & 97 links South
of the Post said to be set at 5. 78 chains & 50 links
in the Bank of the River or 7. 47 - South of
6 miles
- Surveyed by
Sylvester Chubb, C.E.

West Boundary

- North On East Boundary of the 30 T 30 N R 8 E
27. 70 A Spruce 30 in. diam.
40. 00 Set a q. Sec. post from which

43

T 30 N. R. 9 E 2nd Mer. Indiana.

- a Beech 7 in. diam. bears S 68° W 12 links dist &
 a Do 6 " " " " N 24° W 35 " "
 64.06 An Elm 8 " "
 80.00 Set a Post corner to Sec. 25 & 36 from which
 a B Ash 18 in. diam. bears S 55° W 26 links dist &
 a Beech 6 " " " " N 34° W 22 " "
 Land not described

- North On East Boundary of the 25. T 30 N R 8 E.
 29.07 An Elm 18 in. diam.
 40.00 Set a gr. Sec. post. from which
 a Beech 18 in. diam. bears S 49° W 43 links dist &
 a Do 20 " " " " N 31° W 45 " "
 60.64 An Ironwood 6 in. diam.
 80.00 Set a Post cor. to Sec. 24 & 25 from which
 a Beech 18 in. diam. bears S 53° W 32 links dist &
 a Do 16 " " " " N 16° W 26 " "
 Land not described

- North On East Boundary of the 24 T 30 N R 8 E.
 22.68 A Beech 22 in. diam.
 40.00 Set a gr. Sec. post. from which
 a Beech 5 in. diam. bears S 7° W 20 links dist &
 a Do 13 " " " " N 6° W 53 " "
 59.50 A Stream 10 links wide. course N. W.
 62.59 Do 15 " " " " N E
 67.94 Do 20 " " " " N W.
 68.64 Do 20 " " " " N E.
 69.85 An Elm 17 in. diam.
 70.96 A Stream 2 links wide. course N W.
 80.00 Set a Post cor. to Sec. 13 & 24 from which
 a Hickory 10 in. diam. bears S 47° W 17 links dist &
 a S. Ash 16 " " " " N 67° W 17 " "
 Land not described

- North On East Boundary of Sec. 13. T 30 N R 8 E

43

T 30 N. R. 9. E Ind Mer. Indiana.

17. 60 An Elm 36 in. diam.
 40. 00 Set a g. Sec. post. from which
 a Spruce 12 in. diam. bears South 2 links dist &
 a Beech 12 " " " N 85 W 17 " "
 60. 50 A W. Oak 20 " "
 80. 01 Set a Post cor. to Sec. 12 N 3 from which
 an Ironwood 6 in. diam. bears S 5 W 35 links dist &
 a W. Oak 40 " " " N 41 W 15 " "
 Land not described

- North On East Boundary of Sec 13 T 30 N. R. 8 E.
 24. 50 A Stream 60 links wide. Course S W.
 26. 15 A Burr Oak 34 in. diam.
 29. 55 A Stream 12 links wide. Course S W.
 40. 01 Set a g. Sec. post from which
 a Beech 16 in. diam. bears S 63 W 42 links dist &
 a Sugar 10 " " " N 22 W 43 " "
 60. 31 A Buckeye 14 in. diam.
 80. 01 Set a Post cor. to Sec. 1 N 3 from which
 a W. Oak 16 in. diam. bears S 5 W 30 links dist &
 a Beech 18 " " " N 25 W 60 " "
 Land not described

- North On East Boundary of Sec 1. T 30 N. R. 8 E.
 25. 07 A Beech 17 in. diam.
 40. 00 Set a g. Sec. post from which
 an S. Ash 10 in. diam. bears N 2 W 12 links dist &
 but one bearing tree in Willow Swamp.
 67. 40 An Elm 15 in. diam.
 78. 25 Set a Post on the South Bank of Owl River. Corner
 to Sec. 1 from which
 a Maple 6 in. diam. bears S 71 W 8 links dist &
 a Co 8 " " " N 84 E 11 " "
 Land level 2nd rate, inclined to be wet. Timber
 Beech. Hickory. Oak &c. Underg. Spruce &
 Ironwood— David Willis C. S.

T 30 N. R. Q. E 2nd Mer. India

Subdivisions

North Between Sec. 35 & 36

8. 50 Enter Swamp

14. 00 Leave same

25. 92 A Birch 12 in. diam.

40. 00 Set a go the post from which
a Spr. Ash 14 in. diam. bears S 8 E 13 links dist &
an Elm 7 " " " N 2 E 29 " "

55. 87 An Elm 40 " "

56. 00 Enter Swamp Leave same

64. 50 Leave same

80. 00 Set a Post cor. to Sec. 25, 26, 35 & 36 from which
a W. Oak 14 in. diam. bears S 11 W 20 links dist &
a Birch 6 " " " N. 4 E. 13 " "
Land level 2nd rate. Timber. Birch. Ash. Elm.
Spice. prickly, Ash &c.

East On Random between Sec. 25 & 36

5. 00 Enter Swamp

11. 00 Leave Do

23. 50 Enter Swamp

27. 00 Leave same

40. 00 Set a Temp. g. the post.

45. 00 Enter Swamp

65. 50 Leave same

76. 85 Intersect the East Boundary 473 links E. of Post.
Land level 3rd rate. Timber. Swamp Ash. Birch
Elm & Maple Underg. Spice wood & P. Ash.

West Connected between Sec. 25 & 36

38. 42 Set a go the post at over dist from which
a S. Ash 6 in. diam. bears S. 40 W 20 links dist &
a Hawth 6 " " " N 82 E 5 " "

76. 85 To the corner.

North Between Sec. 26 & 25.

45

T 30 A R 9 E 1st Mer. Indiana

29. 50 Set a W. Oak 40 in. diam.
 34. 00 Enter Swamp.
 40. 00 Set a g. Sec. post from which
 a W. Oak 10 in. diam. bears S. 7 E. 17 links dist. &
 a Swamp Ash 30 in. " " N. 16 E. 13 " "
 42. 00 Leave the Swamp
 70. 75 S. Ash 36 in. diam.
 80. 00 Set a Post cor. to Sec. 23. 24. 25 & 26 from which
 an Ash 24 in. diam. bears S. 11 W. 30 links dist. and
 a S. Ash 26 " " " N. 16 W. 27 " "
 Land level 3rd rate. Timber Oak. Beech Elm.
 S. Ash. &c.

East On Random between Sec. 24 & 25
 5. 00 Enter Swamp
 11. 50 Leave same
 40. 00 Set a Swamp g. Sec. post
 77. 17 Intersect the East Boundary 4. 72 links South
 of the Post
 Land Rolling 2nd rate. Timber. Beech Ash
 Oak, &c. Underg. ¹/₂ Spice & Ash.

W 26 Corrected between Sec. 24 & 25
 38. 58 Set a g. Sec. post at a new dist. from which
 a B. Oak 30 in. diam. bears S. 25 W. 24 links dist. &
 a C. 36 " " " N. 34 E. 17 " "
 77. 17 To Sec. corner.

North Between Sec. 23 & 24
 18. 59 A Poplar 12 in. diam.
 40. 00 Set a g. Sec. post from which
 a W. Oak 60 in. diam. bears S. 72 E. 21 links dist. &
 a Sugar 10 " " " N. 70 W. 16 " "
 57. 75 A Swamp Ash 14 " "
 80. 00 Set a Post cor. to Sec. 13. 14. 23. & 24 from which
 an Ash 12 in. diam. bears S. 15 E. 5 links dist. &

T 30 N. R 9 E. Twp. 11 N. Indiana

a Beech 26 in. diam. bears N. 25 W. 21 links dist &
Land level. soil 3^d rate. Timber. Beech. Ash
Syc. & Elm. Undergth Ironwood. Ash & Spice.

East On Random between Sec. 13 & 24

15. 00 To Swamp

32. 00 Leave same

39. 50 Swamp

40 00 Set a Temp^l q. Sec. post

53. 50 Leave swamp

77. 50 Intersect the E. Boundary 4.83 links South of Post
S. of the Post Land level 3^d rate. Timber. Maple.
S. Ash. Beech. Spice.

Not Corrected between Sec. 13 & 24

138. 75 Set a q. Sec. post at aver. dist from which
a Maple 30 in. diam. bears S. 38 E. 29 links dist &
an Elm 6 " " " N. 6 W. 23 " "

77. 50 To Sec. corner

North Between Sec. 13 & 14

9. 00 A Beech 12 in. diam.

30. 00 To Swamp

40. 00 Set a q. Sec. post from which
a Maple 6 in. diam. bears S. 5 W. 19 links dist &
a Ash 5 " " " N. 70 W. 3 " "

61. 00 Leave the swamp.

75. 88 A Beech 12 in. diam.

80. 00 Set a Post cor. to Sec. 11. 12. 13 & 14 from which
a Beech 10 in. diam. bears S. 22 E. 28 links dist &
a Buckeye 8 " " " N. 22 W. 19 " "
Land level 3^d rate. Timber. Maple S. Ash. Beech
Undergth Spice & Willow.

East On Random between Sec. 12 & 13

7. 00 To Swamp

47

I 30th R 9 E 2nd Mer. Indiana.

- 14.00 Leave the Swamp
 35.00 To Swamp.
 37.00 Could get no farther. (Bentley).
 (Brookfield. - could by offset about 5 chains to South.)
 40.00 Set a Temp^o & the post
 45.00 Leave the Swamp.
 77.67 Intersect East Boundary 5.26 links South of Post
 Land good. Timber. Beech, Sugar. W Oak. Blk
 Oak. Blk. Walnut, Butternut, Sycamore &c.

- West Corrected between Sec. 12 & 13
 38.83 1/2 Set a gr. Sec. post at aver. dist. from which
 a Maple 4 in. diam. bears N 45 E 38 links dist. &
 a Willow 3 " " " N 85 W 23 " "
 77.67 To Sec. corner

December 19th 1828

W. Brookfield C.S.

- North Between Sec. 11 & 12
 26.25 An Elm 18 in. diam.
 40.00 Set a gr. Sec. post from which
 an Ash 15 in. diam. bears S 18 E 20 links dist. &
 a Sugar 12 " " " N 7 W 20 " "
 52.00 To Swamp
 69.50 Leave same
 76.37 A W. Oak 14 in. diam.
 80.00 Set a Post cor. to Sec. 7. 2. M. 12 from which
 a W. Oak 10 in. diam. bears South 4 links dist. &
 a Hickory 10 " " " N 20 W 40 " "
 Land Rich & fertile. Timber. Beech. Oak. Ash.
 Linn. Maple. & Underg^o Willow. Ash &
 W. Beech

- East On Range between Sec. 1 & 13
 40.00 Set a Temp^o & the post
 63.00 Enter Swamp.

T³⁰ N. R 9 E 2nd Mer. Indiana

At about 4 chains South. ~~He~~ could have passed by offset, at any wet season. I now go through.

74.00 Leave the swamp.

77.80 Intersect the East Boundary 6 links South of Post and by var. of 10° E.
Land level. Soil 1st rate. Timber same.

Note Corrected between Sec. 1 & 2

38.90 Set a g. Sec. post at aver. dist from which
a W. Oak 20 in. diam. bears S. 5 E 34 links dist &
a Buck 15 " " " N. 21 E 45 " "

77.80 To Sec. corner.

Sunday Dec. 21st 1828

North Between Sec. 1 & 2

17.00 An Aspin 10 in. diam. & Enter Swamp

33.00 Leave the Swamp

40.00 Set a g. Sec. post from which
a W. Oak 28 in. diam. bears S. 31 E 37 links dist &
a Po 3 " " " N. 35 W. 40 " "

50.30 A Buck 10 " "

56.00 To Millen Swamp.

63.50 Intersect the North Boundary 5.26 links East of the Post.

Set a Post cor. to Sec. 1 & 2 from which
an Aspin 12 in. diam. bears S 60 E 26 lks. dist &
an Elm 10 " " " S. 5 W 13 " "

Land & Timber same as last mile.

Dec. 20th 1828

William Brookfield

North Between Sec. 34 & 35

10.23 An Ash 12 in. diam.

31.00 To Millen Swamp.

40.00 Set a g. Sec. post. bearings omitted. (Bentley)

48.50 Left the Swamp.

T 30 N. R 9 E 2nd Mer. Indiana.

49

50.00 Set a Post cor. to Sec. 26. 27. 34 & 35 from which
a B. Oak 12 in. diam. bears S. 17 E. 34 links dist &
a Hickory 4 " " " S. 17 W. 5 " "
Land level & 3 rate Timber. Ash. Aspin Willow.
May 29th 1828

Mr. Bently only characterizes the margin of
little net Places.

There is in the opinions of men an unaccountable
difference with respect not only to the merits of
Public & private men; but to the quality of
things! Mrs Bently notes this land as 3 rate
I call the soil very rich as the Timber omitted by
him indicates. — Hickory Hickory. Oak. Bk. Walnut,
Sugar Maple &c. Cherry & Butternuts all
through this Town

East On Random between Sec. 26 & 35

40.00 Set a Temp^o gr. Sec post.

79.90 Intersect the N & S line 1.08 links South of Post.
Land level 2nd rate. Timber. Buck. Elm Ash,
Oak. Spice & P. Ash.

West Corrected between Sec. 26 & 35.

39.95 Set a gr. Sec post at aver. dist from which
a W. Oak 36 in. diam. bears S. 27 E. 25 links dist &
a Co. 40 " " " S. 45 W. 15 " "

Query, why not these large W. Oaks. in his notes
(or descriptions of Timber) Wm Brookfield.

79.90 To Sec. Corner.

North Between Sec. 26 & 27.

4.00 Willen Swamp

9.00 Seare Co

12.00 Willen Swamp

20.00 Seare Co

29.00 Willen Swamp

T 30 A B 9 C 2nd Mer. Indiana.

- 31.50 Leave the Swamp
 35.00 A W. Oak 24 in. diam.
 40.00 Set a gr. the post from which
 a Hickory 8 in. diam. bears N. 19 W. 30 links dist. &
 a Dogwood 6 " " " S 10 W 4 " "
 47.50 Enter Swamp
 51.00 Leave Do
 70.20 A Buck 12 in. diam.
 80.00 Set a Post cor. to the. 26. 27. 22. & 23 from which
 a Buck 12 in. diam. bears South 41 links dist. &
 a Do. 14 " " " N. 74 W. 12 " "
 Sand level 3 rods. Timber. Swamp. Ash. Maple
 Birch. Undergr. Spice. Prickly Ash & Willows.

East On Random between the. 23 & 26

- 20.00 Enter Willow Swamp
 28.50 Leave Do.
 40.00 Set a stump gr. the post
 74.00 End
 79.00 Left Do
 79.97 Intersect the N & S line 1.85 links South of the Post
 Sand level 3 rods. Timber. Birch. S. Ash
 Elm. Hickory. Oak. Willow. P. Ash & Greenwood.

West Connected between the. 23 & 26

- 39.98 Set a Post for gr. the. at area. dist. from which
 a W. Oak 36 in. diam. bears S. 16 E. 2 links dist. &
 a Hickory 9 " " " N. 84 W. 16 " "
 79.97 To the corner

North Between the. 22 & 23

- 40.00 Set a gr. the post from which
 an Greenwood 6 in. diam. bears N. 3 E. 13 links dist. &
 a Buck 15 " " " South 5 " "
 47.30 A Spicamere 60 " "
 53.00 Enter Willow Swamp.

T 30 N. R 9 E 3rd Mer. Indiana

51

68.00 Leave the Swamp.
 80.00 Set a Post cor. to Sec. 14. 15. 22 & 23 from which
 a Beech 7 in. diam. bears S 12 W 15 links dist. &
 a Hickory 8 " " " S 78 E 10 " "
 Land level 3rd rate. Timber. Beech. S. Ash. Elm.
 Oak. Spice. Hawthorn. & P. Ash.

East On Random between Sec. 14 & 23
 11.30 Mullen Swamp
 25.50 Leave Do
 29.00 Mullen Swamp
 35.00 Leave Do
 40.00 Set a Temp. q. Sec. post
 79.66 Intersect E. Boundary cr. N & S line 2.66 links
 South of the Post
 Land level 3rd rate. Timber. Beech. Oak. &
 Linn. Undergr. Mullen. Spice. Hawthorn
 Ash. Ironwood. &c.

West Corrected between Sec. 14 & 23
 39.83 Set a q. Sec. post at aver. dist. from which
 an Ash 6 in. diam. bears N. 81 E. 31 links dist. and
 a Beech 20 " " " N. 58 W. 16 " "
 79.66 To Sec. corner.

May 30th 1828

Bentley's defeated

North Between Sec. 14 & 15
 15.42 An Elm 12 in. diam.
 40.00 Set a q. Sec. post from which
 a Maple 6 in. diam. bears N. 72 E. 6 links dist. &
 an Elm 4 " " " N. 36 W. 14 " "
 58.50 A Hickory 11 in. diam.
 80.00 Set a Post cor. to Sec. 10. 11. 14 & 15 from which
 a Sugar 15 in. diam. bears S 82 E 14 links dist. &
 a H. Oak 28 " " " N 12 W 19 " "

T 30 N. R 9 E 3rd Mer. Indiana

Land level & 1st rate. Timber. W. Oak. Sugar-
and Elm. Maple. W. Ash &c.

East On Random between Sec. 11 & 14

40. 00 Set a Temp. gr. Sec. post

80. 93 Intersect the N & S line 97 links South of the Post.
Land & Timber same adding Black Walnut &
Poplar.

West Corrected between Sec. 11 & 14

40. 46 1/2 Set a gr. Sec. post at aver. dist. from which
a Beech 13 in. diam. bears S 68 1/2 E. 28 links dist. &
a W. Ash 8 " " " N. 68 1/2 W. 13 " "

80. 93 To Sec. Corner

North Between Sec. 10 & 11

20. 12 A Poplar 20 in. diam.

40. 00 Set a gr. Sec. post from which
a Beech 16 in. diam. bears N 31 E 10 links dist. &
a W. Ash 8 " " " S 1 1/2 W 25 " "

58. 50 A W. Oak 15 " "

60. 00 Enter Swamp

71. 00 Leave same

80. 00 Set a Post cor. to Sec. 2, 3, 10 & 11 from which
a Sugar 12 in. diam. bears S 63 1/2 E 25 links dist. &
an W. Oak 6 " " " S 37 W 25 " "
Land & Timber same as last mile.

East On Random between Sec. 2 & 11

10. 00 Set a Temp. gr. Sec. post.

81. 10 Intersect the N & S line 59 links North of the Post.
var. gr. & 30 (E.) had calculated to hit Post.
Land & Timber same.

West Corrected between Sec. 2 & 11

40. 55 Set a gr. Sec. post at aver. dist. from which

T 30 N. R. 9 E 2nd Mer. Indiana.

33

a W. Oak 6 in. diam. bears N. 27 1/2 E. 4 links dist. &
a Beech 5 " " " S. 77 E. 6 " "

81. 10 To Sec. Corner

North Between Sec. 2 & 3

23. 70 An Ironwood 4 in. diam.

40. 00 Set a g. Sec. post from which

a W. Ash 10 in. diam. bears S. 51 E. 19 links dist. &

a Do 5 " " " S. 59 N. 4 " "

59. 00 A W. Oak 24 " "

68. 07 Intersect the North Boundary 4.68 links East of Post.

Set a Post cor. to Sec. 2 & 3 from which

a Hickory 12 in. diam. bears S. 31 N. 39 links dist. &

a Beech 12 " " " S. 76 1/2 E. 37 " "

Land & Timber same as before

Saturday Dec. 20th. 1828. William Brookfield

North Between Sec. 33 & 34

18. 45 A W. Ash 28 in. diam.

26. 50 Enter Swamp.

36. 50 Leave the same

40. 00 Set a g. Sec. post from which

a Beech 7 in. diam. bears S. 66 N. 4 links dist. &

a Do 8 " " " N. 89 E. 48 " "

60. 28 A Sycamore 10 in. diam.

61. 52 1/4 mile post on an old line: - My line exactly
coincides with line all up North

Set a Post cor. to Sec. 27. 28. 33 & 34 from which

a Poplar 11 in. diam. bears S. 56 N. 45 links dist. &

a Beech 12 " " " N. 25 N. 20 " "

Land 1st rate. Timber Beech. Poplar. Walnut.
Hickory. W. Oak. &c.

The South Boundary of this Town is not Perpen-
dicular. (Var. 6° 15' E.) to the E. Boundary

All Euclidism cannot account for the cause of
the Var. in Easting or Ranging between Sec. 2 & 3.

T30 N. R 9 E. Twp. 36 N. Indiana

East On Random between Sec. 27 & 34

40.00 Set a Temp. g. Sec. post

83.87 Intersect the N & S line 4.33 links North of Post.
Land & same as before

Note Corrected between Sec. 27 & 34

41.93 1/2 Set a g. Sec. post at aver. dist. from which
A W. Oak 24 in. diam. is g. Sec. post.

83.87 To Sec. corner

North Between Sec. 27 & 28

17.45 A Beech 24 in. diam.

40.00 Set a g. Sec. post from which a
W. Oak 16 in. diam. bears N. 78 E. 17 links dist. & a
Beech 9 " " " S. 25 W. 21 " "

82.87 Piped 3 mile post on old line

86.13 A W. Oak 12 in. diam.

80.00 Set a Post con. to Sec. 21. 22. 27 & 28 from which
a Buckeye 9 in. diam. bears N. 83 E. 7 links dist. &
a Beech 10 " " " S. 48 W. 12 " "
Land rolling 1st rate. Timber same as before

East On Random between Sec. 22 & 27

40.00 Set a Temp. g. Sec. post

83.00 Intersect the N & S line 25 links South of the Post.
Land Timber &c. same as before

Note Corrected between Sec. 22 & 27

41.58 Set a g. Sec. post at aver. dist. from which
a Beech 8 in. diam. bears N. 71 1/2 W. 26 links dist. &
a Co. 11 " " " N. 87 E. 28 " "

83.00 To Sec. corner

North Between Sec. 21 & 22

18.96 A W. Ash 9 in. diam.

40.00 Set a g. Sec. post from which

T 30 N R 9 E Driller. Indiana

55

a Beech 7 in. diam. bears S 10 E 28 links dist. &
a W. Ash 15 " " " S 48 E 27 " "

57.52 A Maple 10 " "

80.00 Set a Post cor. to Sec. 15. 16. 21. & 22 from which
a Sugar. 18 in. diam. bears S. 11 E. 31 links dist. &
a " 11 " " " S. 78 W. 20 " "
Land & Timber same as last mile

East On Random between Sec. 15 & 22

40.00 Set a Temp. q. the post.

81.81 Intersect the E Bound. on N & S line 1.03 links South
of the Post.

Land &c same

West Corrected between Sec. 15 & 22

40.90 A W. Ash 11 in. diam. is cor. to q. Section

81.81 To Sec. corner.

Monday Dec. 22^d 1828

William Brookfield.

North Between Sec. 15 & 16

13.87 A Beech 18 in. diam. (Old Station)

40.00 Set a q. the post from which
a W. Oak 4 in. diam. bears S. 16 W. 20 links dist. &
an Elm 12 " " " S. 77 W. 23 " "

58.39 A B. Oak 12 " "

80.00 Cor. to Sec. 9. 10. 15 & 16 A Beech 4 in. diam.
Land level. Timber as before

East On Random between Sec. 10 & 15

40.00 Set a Temp. q. the post

80.37 Intersect the N & S line 38 links South of the Post.

Beginning now to make good work!

Land & Timber same as before

West Corrected between Sec. 10 & 15

T 30 A. R. & E. Ind. Mer. Indiana

40. 18 1/2 Set a gr. Sec. post at aver. dist. from which
 a Lynn 4 in. diam. bears N. 13 W. 3 links dist. &
 a Buck 9 " " " N. 43 1/2 E. 18 " "
 80. 37 To Sec. corner

North Between Sec. 9 & 10

19. 50 Enter Swamp

31. 50 Leave same

40. 00 Set a gr. Sec. post from which
 a W. Oak 10 in. diam. bears S. 53 E. 25 links dist. &
 a P. Oak 4 " " " S. 79 1/2 W. 24 " "

58. 70 A Blk. Oak 18 in. diam.

61. 50 Enter Miller's Swamp

66. 00 Leave Do.

80. 00 Set a Post cor. to Sec. 3, 4, 9, 10 from which
 a W. Oak 24 in. diam. bears N. 89 1/2 E. 4 links dist. &
 a Do 16 " " " S. 48 W. 7 " "

Land & Timber same

P. S. At the above swamp, parted with the Old line
 and see no more of it.

East On Random between Sec. 3 & 10

40. 00 Set a Temp. gr. Sec. post

79. 80 Intersect N & S line at Post.

Land level & wet sometimes but not now

West Corrected between Sec. 3 & 10

39. 90 Set a gr. Sec. post at aver. dist. from which
 a W. Oak 9 in. diam. bears N. 83 W. 10 links dist. &
 a Buckeye 4 " " " S. 86 E. 23 " "

79. 90 To Sec. corner

North Between Sec. 3 & 4

12. 50 Enter Swamp

16. 50 Leave same

21. 53 A W. Oak 14 in. diam.

57

T 30 N. R 9 E. 2nd Mer. Indiana.

40. 00 Set a q. Sec. post from which
a Beech 15 in. diam. bears S 51 $\frac{1}{2}$ E. 18 links dist. &
a Do 14 " " " S 50 W. 16 " "
56. 01 A Beech 14 " "
65. 31 Intersect the North Boundary 6.13 links East of Post
Set a Post cor. to Sec. 3 & 4 from which
a Sugar 18 in. diam. bears S 45 E 60 links dist. &
a Do 8 " " " S 12 W 56 " "
- Land be same as last mile
- Tuesday Dec. 23^d 1828.
William Brookfield

- South Corrected between Sec. 32 & 33
From Cor. of Sec. 28. 29. 32 & 33
23. 84 A W. Ash 18 in. diam.
40. 00 Set a q. Sec. post. from which
a Beech 13 in. diam. bears S 43 $\frac{1}{2}$ E. 60 links dist. &
a Do 16 " " " N 30 E 9 " "
70. 47 An Elm 24 " "
80. 68 Intersect Erased line
87. 48 Intersect Town line at Post.
P. S. This I have done to make the work in
three West tiers of Sec. square and throw into
the South on Town line the except trouble
Land level. Timber Sugar. Beech. Elm.
Lynn. Blk & White Walnuts. Hickory. Spice
Poplar. Prickly Ash, &c.

- East On Random between Sec. 28 & 33.
40. 00 Set a Temp. q. Sec. post
77. 62 Intersect the S & S line 7.33 links South of Post.
Land be same

- West On Run a West line (True)
38. 81 Set a q. Sec. post at w. end dist. from which
a Lynn 5 in. diam. bears S 45 E 14 links dist.

T 30 N. R. 9 E. Ind. Mer. Indiana.

77.62 a Beech 9 in. diam. bears S 50 N. 17 lks. dist.
 Sec. Corner
 Set a (new) corner to Sec. 28 & 29 32 & 33
 from which
 a Hickory 15 in. diam. bears N. 39 E. 13 lks. dist.
 a Do 10 " " " S 13 1/2 N. 7 " "
 This must be done to run perpendicularly to
 East Boundary and make square work. in
 the rest of This Town.
 Cannot do it on Town line S. as the work
 has been closed on it from the South.

North Between Sec. 28 & 29

26. 38 A Sugar 14 in. diam.

40. 01 Set a gr. Sec. post from which

a Beech 9 in. diam. bears N 60 E. 14 links dist. &

a Do 9 " " " S. 14 1/2 E. 12 " "

60. 67 A Poplar 28 in. diam.

80. 01 Set a Post cor. to Sec. 20. 21. 28 & 29. from which

a Beech 10 in. diam. bears S 60 E. 25 links dist. &

a Do 10 " " " N 1 W. 24 " "

Land & Timber same as last mile

East On Random between Sec. 21 & 28

40. 01 Set a Temp. gr. Sec. post

77. 66 Intersect the N & S line 45 links North of Post.

Land &c same as last mile.

West Corrected between Sec. 21 & 28

38. 83 Set a gr. Sec. post at even dist. from which

a Beech 5 in. diam. bears N 60 E. 24 links dist. &

a Buckeye 5 " " " N 1 W. 22 " "

77. 66 To Sec. corner

North Between Sec. 20 & 21

20. 50 A Sugar 22 in. diam.

59

S 30 N. R. 9 E. Ind. Mer. Indiana

- 40.00 Set a g. Sec. post from which
a Blk Ash 15 in. diam. bears N. 43 E. 11 links dist. &
a " Do 10 " " " S 5 W 25 " "
- 63.97 A Lynn 30 " "
- 80.00 Set a Post cor. to Sec. 16. 17. 20 & 21 from which
a Beech 12 in. diam. bears South 25 links dist. &
a Do 11 " " " N 85. W. 37 " "
Land & Timber same. as last mile

- East On Random between Sec. 16 & 21
- 40.00 Set a Temp's g. Sec. post
- 80.68 Intersect the N & S line 6 links South of the Post.
Land &c same as last mile
- Wednesday Dec. 24th 1828
William. Brookfield.

- West Corrected between Sec. 16 & 21
- 40.34 Set a g. Sec. post at an. dist. from which
a W. Oak 15 in. diam. bears West 24 links dist. &
an Elm 7 " " " N 24 E 10 " "
- 80.68 To Sec. corner

- North Between Sec. 16 & 17
- 16.95 A W. Oak 16 in. diam.
- 40.00 Set a g. Sec. post from which
a Beech 5 in. diam. bears N. 68 W. 38 links dist. &
a Do 4 " " " N 24 E 38 " "
- 66.04 A W. Oak 48 in. diam.
- 80.00 Set a Post cor. to Sec. 8. 9. 16 & 17 from which
a W. Oak 9 in. diam. bears S. 66. E. 19 links dist. &
a Beech 12 " " " N 89 W 24 " "
Land & Timber same as last mile

- East On Random between Sec. 9 & 10
- 40.00 Set a Temp's g. Sec. post
- 82.50 Intersect the N & S line 40 links E. of the Post.

T 30 R 9 E 2nd Mer. Indiana.

Land &c same as last mile.

West Corrected between Sec. 9 & 46
 41. 25 Set a q. Sec. post at aver. dist from which
 a Beech 12 in. diam. bears S. 46 N 13 links dist &
 a Do 12 " " " S 20 E 24 " "
 82. 50 To Sec. corner.

North Between Sec. 8 & 9
 16. 84 A Beech 12 in. diam.
 40. 00 Set a q. Sec. post from which
 a Lyrn 7 in. diam. bears South 13 links dist &
 a Blk. Walnut 24 in. diam. bears N 67 1/2 W 37 links dist &
 61. 75 An Elm 24 in. diam.
 80. 00 Set a Post cor. to Sec. 4. 5. 8. & 9 from which
 a Poplar 20 in. diam. bears N. 78 E. 4 links dist &
 a Beech 10 " " " S 76 W 37 " "
 Land rolling 1st rate. Timber same as last mile

East On Random between Sec. 4 & 9
 30. 00 Enter swamp
 40 00 Set a temp. q. Sec. post
 51. 50 Leave the swamp.
 83. 55 Intersect N & S. line 45 links North of the Post.
 Land level. soil & Timber same as before

West Corrected between Sec. 4 & 9
 41. 77 Set a q. Sec. post at aver. dist from which
 a Maple 6 in. diam. bears S 85 W 45 links dist &
 an Elm 15 " " " S 80 E 35 " "
 83. 55 To Sec. corner.

North Between Sec. 4 & 5
 25 90 A Sugar 22 in. diam.
 40. 00 Set a q. Sec. post from which
 a Beech 10 in. diam. bears S. 47 E 26 links dist &

61

T30 A. R. G. E. 2nd Mer. Indiana

- a Beech 12 in. diam. bears N 72 $\frac{1}{2}$ W 37 lks dist &
 52. 87 a Beech 14 " "
 64. 21 Intersect the North Boundary 308 links East of
 the Post. Set a Post cor. to Sec. 4 & 5 from which
 a Beech 18 in. diam. bears S 68 $\frac{1}{2}$ E 29 links dist &
 a Cr 28 " " " S. 76 $\frac{1}{2}$ W 52 " "
 Land & Timber same as last mile

Thursday Dec. 25th 1828

William Brookfield.

- West Between Sec. 29 & 32
 21 57 A W. Ash 10 in. diam.
 40. 00 Set a g. Sec. post. from which
 a Beech 15 in. diam. bears N. 20 W. 11 links dist &
 a Linn 5 " " " S 47 $\frac{1}{2}$ E 10 " "
 59. 75 A Beech 12 " "
 80. 00 Set a Post cor. to Sec. 29. 30. 31 & 32 from which
 an Elm 26 in. diam. bears is Corner.
 Land. level table land like the rest of this Town
 Soil rich. Timber. W. & R. Oak. Sugar. Beech
 Elm. Blk. & White Walnut, plenty of Hickory;
 Spice &c.

- South Between Sec. 31 & 32
 19. 02 A Beech 14 in. diam.
 40. 00 Set a g. Sec. post from which
 an Ironwood 5 in. diam. bears S 87 $\frac{1}{2}$ E 7 links dist &
 a Beech 6 " " " N. 85 W 15 " "
 61. 90 An Elm 12 " "
 80. 66 Intersect line erased. and it should have been
 88. 25 the true one.
 88. 25 Intersect T. line 87 links East of the Post
 Set a Post cor. to Sec. 31 & 32 from which
 a Beech 14 in. diam. bears N. 87 $\frac{1}{2}$ W. 9 links dist &
 a W. Ash 14 " " " N. 34 E 24 " "
 Land level. soil rich. Timber same all through Town

I 30. N. R 9 E 2nd Mer. Indianes.

Query? why was this erroneous line run?

West Between Secs 30 & 31
 18. 30 A N. Ash 10 in. diam.
 40. 00 Set a g. Sec. post from which
 a Beech 7 in. diam. bears S. 87° W. 13 links dist. &
 a W. Oak 20 " " " N. 35° W. 33 " "
 56. 61 A W. Ash 12 " "
 78. 33 Intersect the West Boundary 8. 14 links North of
 the Post
 A Blk. Ash 18 in. diam. is cor. to Secs 30 & 31
 Land and Timber same.

North Between Secs 29 & 30
 21. 50 A Beech 26 in. diam.
 40. 00 Set a g. Sec. post from which
 an Elm 8 in. diam. bears S. 83° E. 17 links dist. &
 a Hickory 7 in. " " S. 47° W. 18 " "
 56. 66 A Beech 24 " "
 80. 00 Set a Post cor. to Secs 19. 20. 29 & 30 from which
 a Sugar 6 in. diam. bears S. 53° W. 6 links dist. &
 a Co 8 " " " N. 48° E. 19 " "
 Land & Timber same

East On Random between Secs 20 & 29.
 40. 00 Set a Temp. g. Sec. post
 80. 18 Intersect the N & S line 4 links North of Post.
 Land Rolling. Soil & Timber same as before
 Friday Dec. 26th. 1828
 William Brookfield C^t.
square work now!

West Corrected between Secs 20 & 29
 40. 09 Set a g. Sec. post at aver. dist. from which
 a Beech 15 in. diam. bears N. 7° E. 38 links dist. &
 a Hickory 22 " " " S. 87° E. 21 " "

T 30 N. R 9 E 2nd Mer. Indiana

63

80 18 To Sec. Corner

West Between Sec. 19 & 20
 20. 23 A White 8 in. diam.
 40. 00 Set a g. Sec post from which
 a Beech 10 in. diam. bears East 24 links dist. &
 a Sugar 14 " " " N. 58 W. 22 " "
 57. 89 A Sugar 7 " "
 79. 13 Intersect the West Boundary 7. 35 links North
 of the Post. Set a Post cor. to Sec. 19 & 20 from which
 a Beech 16 in. diam. bears S. 79 E. 13 links dist. &
 a Do 12 " " " N. 60 E. 63 " "
 Land gently rolling & 1st rate Timber same as
 before

North Between Sec. 19 & 20
 19. 00 A Sugar 12 in. diam.
 40. 00 Set a g. Sec. post from which
 a Blk. Walnut 24 in. diam. bears S. 11 W. 47 links dist. &
 an Elm 14 " " " N. 85 E. 25 " "
 61. 03 An Elm 14 " "
 80. 00 Set a Post cor. to Sec. 17. 18. 19 & 20 from which
 a Beech 5 in. diam. bears S. 15 W. 37 links dist. &
 a Do 6 " " " N. 68 E. 15 " "
 Land Rolling 1st rate. Timber same.

East On Random between Sec. 17 & 20
 24. 00 Yallick
 40. 00 Set a Camp's g. Sec. post
 80. 03 Intersect the N & S line 9 links S of the Post.
 Land & Timber same as last mile

West Connected between Sec. 17 & 20
 40 01 1/2 Set a g. Sec. post at aver. dist. from which
 a Beech 5 in. diam. bears N. 67 E. 20 links dist. &
 a Do 10 " " " N. 54 W. 15 " "

T30 A R 9 E 2nd Mer Indiana

80.03 To Sec. Corner.

West Between Secs. 18 & 19

19.28 A W. Oak 24 in. diam.

40.00 Set a g. Sec. post from which

a Beech 18 in. diam. bears N. 8 E. 22 links dist &

a Do 10 " " " S. 33 W. 19 " "

55.78 A Beech 10 in. diam.

80.00 An Elm 14 in. diam. at Intersection of West Boundary

6.20 links North of the Post

Land rolling 1st rate. Timber as before.

North Between Secs. 17 & 18

20.62 A Sugar 5 in. diam.

40.00 Set a g. Sec. post from which

a W. Ash 12 in. diam. bears S 30 W 25 links dist &

an Elm 24 " " " N 13 E 25 " "

57.28 A W. Ash 10 " "

80.00 Set a Post cor. to Secs. 7, 8, 17 & 18 from which

a W. Ash 10 in. diam. bears S 30 E 10 links dist &

a Sugar 5 " " " N 75 W 27 " "

Land level. Soil & timber same as before

East On Random between Secs. 8 & 17

40.00 Set a Temp. g. Sec. post

80.07 Intersect the N & S line 2 links South of Post

West Corrected between Secs. 8 & 17

40.03 1/2 Set a g. Sec. post at aver. dist from which

a Maple 14 in. diam. bears S 66 1/3 W 15 links dist &

an Elm 5 " " " S. 45 E 14 " "

80.07 To Sec. Corner.

Land & Timber same as before

West Between Secs. 7 & 18

22.78 A Blk Ash 15 in. diam.

Completed

65

T 30 N. R 9 E. 2nd Mer. Indiana.

40.00 Set a g. Sec. post. from which
a Beech 8 in. diam. bears N. 50 $\frac{1}{2}$ W. 7 lks. dist. &
a Do 9 " " " N. 79 E. 33 " "

50.50 A Stream 15 links wide. Course N. W. & S. E.
drifted one at present

60.76 A W. Ash 7 in. diam.

81.50 Intersect the West Boundary 500 links. north
of the Post. Set a Post cor. to Sec. 7 & 8 from which
a Beech 8 in. diam. bears N. 65 E. 16 links dist. &
a Do 10 " " " S. 80 E. 35 " "
Land & Timber same

Saturday evening Dec 27th 1828
William Brookfield.

North Between Sec. 7 & 8

10.38 A Cherry 15 in. diam.

40.00 Set a g. Sec. post from which
a Beech 12 in. diam. bears N. 87 E. 29 links dist. &
a Do 7 " " " N. 29 W. 13 " "

59.68 A Blue Ash 18 in. diam.

80.00 Set a Post cor. to Sec. 5. 6. 7 & 8 from which
a Willow 11 in. diam. bears N. 66 W. 3 links dist. &
a Maple 7 " " " N. 7 E. 23 " "
Land rolling. soil 1st rate Timber same

East On Random between Sec. 5 & 8

40.00 Set a Temp^g g. Sec. post

80.20 Intersect the N & S line 10 links South of the Post.
Land & Timber. same as last mile

West Corrected between Sec. 5 & 8

40.10 Set a g. Sec. post at aver. dist. from which
a Beech 14 in. diam. bears S. 57 E. 20 links dist. &
a Poplar 20 " " " N. 11 W. 15 " "

80.20 To Sec. corner

T 30 N. R 9 E. 2nd Mer. Indiana.

West Between Sec. 6 & 7
 22.40 A Maple 22 in. diam.
 40.00 Set a g. Sec post from which
 a Beech 18 in. diam. bears N. 19 $\frac{1}{2}$ W. 21 links dist &
 a Do 18 " " " N. 70 E. 20 " "
 57.91 A Hickory 7 in. diam.
 Intersect the W. boundary at a Beech 10 in.
 82.29 diam. for cor. to Sec. 6 & 7 3.78 links North
 of the Post
 Land &c same as last mile.

North Between Sec. 5 & 6
 19.75 A Beech 12 in. diam.
 40.00 Set a g. Sec post from which
 a Sugar 26 in. diam. bears S. 49 E. 20 links dist &
 an Elm 5 " " " N. 45 E. 8 " "
 58.40 An Elm 4 $\frac{1}{2}$ " "
 64.50 To El River and set Meander Post Cor. to Sec.
 5 & 6 from which
 a Red Oak 18 in. diam. bears N. 82 W. 6 links dist &
 a Beech 20 " " " S. 88 E. 43 " "
 I cannot find any line or corner to Sections
 31 & 32

Land & Timber same as last mile.

Sunday Dec. 28th 1828 William Brookfield.
 Commenced surveying this Town Dec. 18th 1828
 and finished on the 28th.

Wm Brookfield D.S.

Meanders of El River. Beginning at
 Meander post on Town line in Sec 5 Town 30
 North of Range 9 East 2nd Mer. Indiana & 5 Wayne
 district

Courses	Distances	Remarks
S. 77 W.	5.50	
N. 86 W.	4.00	

67

J 30 A R 9 E 9th Mer. Indiana

S 46 E	4.00
S 80 1/2 E	5.50
N 48 1/2 E	1.50
N 33 1/2 E	7.50
S 76 E	4.50
S 31 1/2 E	6.50
S 47 1/2 E	2.00
N 79 E	2.00
N 39 E	2.00
N 25 E	3.00
N 76 1/2 E	2.00
N 51 E	4.50
S 38 E	4.00
S 2 W	7.00
S 48 E	4.00
N 74 E	3.00
N 27 E	5.50
S 68 1/2 E	2.00
S 84 E	4.00
N 42 E	4.00
N 42 E	4.00
S 45 1/2 E	3.00
S 28 E	2.50
S 6 E	7.00
S 52 E	3.50
S 88 E	3.00
N 85 1/2 E	1.50
N 70 E	5.00
N 40 E	16.00
N 80 E	4.00
East	1.20

To Meander post Between Secs 5 & 6

William Brookfield.

Sep Surveyor

T 30 N. R. 9 E. 2nd Mer. Indiana

This Township is a component part of the
 table land lying between the Miami of the
 Lakes and the Wabash. It is generally very
 level. some little part however is generally
 rolling. The soil is black and rich; better fitted
 for meadow than for grain, but by proper
 cultivation it may be fitted for the latter.
 It is heavily timbered with W. & R. Oak,
 Sugar. Poplar, Beech, Lyrn. Elm. Maple,
 Blue. White & Black Ash. Black Walnuts
 Butternut. Cherries &c. Undergrowth
 some Prickly Ash

There are some small swamps scarcely worthy
 of notice - no detriment to the land when cleared

This Town like all other level land at the
 heads of little streams, is no doubt in a
 rainy season, somewhat wet.

There have been two Town lines Run on
 the South Boundary of this Town. and it is
 to be regretted, that the first line run was
 not allowed to remain as the true one, for then
 there would have been no diamonding work
 in the Town.

Compd.

69

T 30 N. R 9 E. 2nd Mer. Indiana.

Pursuant to a Contract, dated the 4th of Nov. 1828 and instructions from Edward Tiffin Surveyor General of the United States. I have surveyed and subdivided into Sections, the foregoing Township in the St. Wayne district Indiana described in said contract, and the foregoing are correct and true field notes of the lines, which they purport to be as part of said contract.

Certified this 4th of May 1829

William Brookfield.

Dep. Surveyor.

I Certify that the foregoing transcripts of the Field Notes of Township No 30 North of Range No 9 East of the 2nd Mer. Indiana St. Wayne has been compared with the original notes in this Office, and found to be Correct.

Surveyor General's Office,

Cincinnati, April 25. 1845

William Johnston
Sur. Genl.